

L Number	Hits	Search Text	DB	Time stamp
-	489	static near3 tim\$3 near3 (analy\$4 or estimat\$4 or evaluat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/28 15:33
-	7	(power near3 distrib\$6 near3 (analy\$4 or estimat\$4 or evaluat\$4)) and (static near3 tim\$3 near3 (analy\$4 or estimat\$4 or evaluat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 15:13
-	45635	power near3 distrib\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/28 15:34
-	101002	tim\$3 near3 (analy\$4 or estimat\$4 or evaluat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/28 15:35
-	97	(power near3 distrib\$6) same (tim\$3 near3 (analy\$4 or estimat\$4 or evaluat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/28 15:40
-	7	((power near3 distrib\$6) same (tim\$3 near3 (analy\$4 or estimat\$4 or evaluat\$4))) same waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/28 15:39
-	14	((power near3 distrib\$6) same (tim\$3 near3 (analy\$4 or estimat\$4 or evaluat\$4))) and 716/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/28 15:40
-	44	power adj distrib\$6 adj (analy\$4 or estimat\$4 or evaluat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/28 15:52
-	1	charge same timing same voltage same temperature same load same slew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 15:15
-	26	(static adj timing) and (charge same timing same voltage same temperature same load same slew)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 15:53
-	1	(static adj timing) and (charge same timing same voltage same temperature same load same slew)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/08 15:45
-	251	power same coefficient same vector same time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 15:43
-	66	power same coefficient same vector same time same function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 15:15
-	1	(power same coefficient same vector same time) and 716/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 16:04

-	10307	power near5 coefficient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 15:43
-	27	(power near5 coefficient) and 716/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 16:16
-	4886	power adj function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 16:18
-	0	((power adj function) same coefficient) and 716/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 16:18
-	93	(power adj function) same coefficient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 16:17
-	162	(power adj function) same coefficient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 16:17
-	1	((power adj function) same coefficient) and 716/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 16:18
-	730	power adj coefficient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 16:21
-	52	(power adj coefficient) near5 calculat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 16:18
-	1	((power adj coefficient) near5 calculat\$3) and 716/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 16:21
-	10	(power adj coefficient) and 716/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 16:21
-	396	power near3 distrib\$6 near3 (analy\$4 or estimat\$4 or evaluat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/14 07:07
-	18	(power near3 distrib\$6 near3 (analy\$4 or estimat\$4 or evaluat\$4)) and 716/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/14 07:07
-	558	static adj timing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/25 15:35

-	2	(static adj timing) same (parasitic same resistor same capacitor same inductor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/25 15:35
-	5	(static adj timing) and (parasitic same resistor same capacitor same inductor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/25 15:37